


INSTRUCTION MANUAL CHEST PRESS






MAKE SURE YOU HAVE THE MOST UP TO DATE. THIS IS:

Version A



TOOLS REQUIRED




Allen Key

(1x) 4 mm

(1x) 6 mm

(1x) 8 mm


(1x) 10 mm



Wrench

(1x) 13/19 mm

HARDWARE



Socket Head Bolt

(4x) M10*30

(16x) M12*30



Hex Head Bolt

(4x) M12*30



Flat Head Bolt

(2x) M12*35



Flat Washer

(4x) M10

(20x) M12



Tube Plug

(2x) D15



BEFORE YOU BEGIN





- 1. Verify that all components and hardware are included and undamaged. Report any issues immediately.
- 2. Ensure that you have all the necessary tools before starting the installation.
- 3. Do **NOT** fully tighten bolts during assembly unless instructed. This helps to ensure proper alignment of all parts.




Access Warranty Information Here












4 UNINSTALL














6 UNINSTALL





























POST INSTALLATION

- Tighten all hardware prior to testing the functionality of the machine.
- Do NOT use if any components are damaged or if the machine does not function as intended.
- 3. Report any damage immediately to your local rep.

MAINTENANCE

- 1. LEATHER should be cleaned regularly to prolong the longetivity of the fabric.
- 2. LARGE BUMP STOP from step seven may need periodic tightening with 4mm allen key.

